Appendix 1 Installation instruction for SuperCam2.1.0 (BlackBerry)



- 1. Open the browser of BlackBerry phone and enter sever address
- 2. Click "SuperCam" to link



3. Click "Download" button on the popup interface and the download progress will be shown.



5. Finished downloading, the software will be installed automatically.

If the software fails to download, please check in accordance with the following steps:

- 1. check whether the network of mobile phone is normal or not
- 2. check whether DVR server connect network normally or not
- 3. Modify the option of Browser Configuration.

1) Enter into Menu->Option->Browser Configuration; configure referring to the following figure.

Browser Configuration		
Browser:	Browser	
Support JavaScript		
Allow JavaScript popups		
Terminate slow running scripts		
Use Background Images		
Support Embedded Media		
Show Images: On WML & HTI	ML Pages	
Browser Identification: Bl	ackBerry	
Start Page: St	art Page	
Home Page Address: about:start		

2) Enter into Menu->Option->Cache Operations, clear up browser cache.

Cache Operations	
	Clear History
Content Cache	
	Size: 2.7K
	Clear
Pushed Content	
	Size: 0.0K
Cookie Cache	Size: 0 cookies

If the SuperCam software is used in mobile phone with touch screen, there will be compatible problem.

Solution:

Enter into Options Menu->Advance options->Applications->SuperCam and click "Disable Compatibility" button. This problem will be solved.

1. Login

SuperCam		
Address:	wanjunjie.meibu.com:60	♦
Username:	admin	
Password:	****	
	🛩 Remember server	
Lo	gin Exit	

Enter server's IP address (or domain name), user's ID and password.

Click "Remember server" to save the setting; click $\mathbf{\nabla}$ button can quick input saved server address, user name and password.

2. Main interface



[Playback]	playback record file	【Image】	image view	Live	live view
【Log】	log record	[Server List]	device list	[Settings]	software setting
【Information】	device information	(Help)	software	【Logoff】	logoff and return
	view		help center		to login interface

3. Live view







Mark 1	Current viewing channel	Mark 2	Channel status
2	Switch channels	0	PTZ, click to switch to Fig 2 interface
<u>o</u>]	Snap	X	Full screen
\leq	Background alarm		Stop rotates the PTZ
	Upward rotates the PTZ		Downward rotates the PTZ
	Upward rotates the PTZ	•	Downward rotates the PTZ
Ο	Zoom In/Focus In/Iris Add	0	Zoom Out/Focus Out/Iris Sub
Preset	Select the preset point	Group	Set the cruise line

3. Server list





(Modify) Modify a server list(Delete] delete a server list

4. Software configuration

SuperCam	
Alarm type:	
🖉 Video loss	
Motion alarm	
Sensor alarm	
Alarm output type:	
🖉 Audio alarm	
✓Vibrate alarm	

Alarm type: Setup the type of background alarm (Video Loss/Sensor/Motion) Alarm output type: Setup prompt type of background alarm (sound alarm/vibrate alarm)

6. Information view



Device:

Device Name: name of the current device. Device ID: the current connection device ID Software version: The current connection device software version Build date: the current connection device build date Phone: Software version: The current use of mobile phone software version Software build date: the current use of mobile phone software version